



**Floormations™**

*The first step to a lasting impression*



# The future of entrance flooring starts here

## INTRODUCING FLOORMATIONS™

It's the **designer's choice** for entrance flooring. It not only performs, it enhances your entrance and the critical first impression it makes. It's the **new way to stop tracked-in dirt, debris and water** from entering your building that looks like nothing that has come before. With eight exciting styles, many surface options and even the ability to inspire your own design, creating a dramatic entrance has never been easier. And, because of our cutting-edge, computer-driven manufacturing method, you can have the look you want, affordably.

### Insert options



Choose from 60+ recycled rubber color inlays at [floormations.com/colors](http://floormations.com/colors) or contact us for available carpet options.



### ◀ Customer-inspired designs


Select from our collection of designs, or envision your own as shown at left. Our Floormations team will evaluate your design and work together to insure a finished floor that looks great and performs.




Windmill



Odyssey




Kinetic




Transit

For more ideas, visit [floormations.com](https://www.floormations.com)




Tease



Pin Wheel



Cross Hatch



Honeycomb




C/S FLOORMATIONS™


## Design and ordering options

With C/S Floormations you can choose from our curated collection of standard patterns, suggest a modification, or even work with us on your own concept.

### Design flexibility



Floormations patterns can be modified to suit your project's visual requirements. A change in scale, as shown, is one example.



### Mounting options

1/2" (12.70 mm) recess



3/4" (19.05 mm) recess



1/4" (6.35 mm) surface



1/4" surface offers containment grooves but no fall-through mechanism.

1/2" (12.70 mm) surface



3/4" (19.05 mm) surface



Maximum panel size of 34" x 119"  
(864 mm x 3,023 mm)

[floormations.com](http://floormations.com)

For patent information, visit [www.c-sgroup.com/patent](http://www.c-sgroup.com/patent).



## Construction Specialties™

West Australian Distributor:

ABS West

113 Garling St

O'Connor

WA 6163

Phone: 1300 644 162

Email: [service@abswest.com.au](mailto:service@abswest.com.au)

[www.abswest.com.au](http://www.abswest.com.au)



### The C/S Family of Products

For more than 60 years, Construction Specialties has been a leader in architectural specialty products, including: Acrovyn® Wall and Door Protection, Pedisystems® Entrance Flooring, Expansion Joint Covers, Cubicle Track and Curtains, Smoke and Explosion Venting Systems, Architectural Grilles, Architectural Louvers and Sun Controls.

We have operations throughout the world and can provide C/S products virtually anywhere. For a complete list of our international locations, visit [www.c-sgroup.com](http://www.c-sgroup.com).



©Copyright 2014 Construction Specialties, Inc.

Construction Specialties, Inc. reserves the right to make design changes or to withdraw any design without notice. Printed in U.S.A. Series 15

